

Hazardous Components:

1. IDENTIFICATION OF THE PRODUCT AND THE COMPANY

Product Name: Chemical Characterization:	Tando siding Injection molded parts of mineral filled polypropylene siding with UV stabilizer, w/ or w/o top coating	
Manufacturer Information:	Derby Building Products :	
	1111 NW 165 th Street Miami, FL 33169	160 des Grands-Lacs Saint-Augustin-de-Desmaures, Quebec, Canada, G3A 2K1
Emergency Contact:	+1 (954) 556-1800	+1 (418) 878-6161
Revision Date	1/30/2019	

2. COMPOSITION, INFORMATION ON INGREDIENTS

Ingredient	CAS Number	Weight %
Mineral	Proprietary	0-40
Polypropylene	9010-79-1	60-100
Coating	Proprietary	<5
UV Stabilizer	Proprietary	<1

None

Emergency Overview:	Low hazard for industrial or commercial handling
Principle routes of exposure: Skin contact: Eye contact:	Low risk of entry in present form Low risk of contact in present form Low risk of contact in present form
Inhalation: Ingestion	Low risk of entry in present form Ingestion is not expected to occur. May act as an obstruction if swallowed.
	4. FIRST AID MEASURES
Skin Adsorption: Skin Contact: Eye Contact: Ingestion: Inhalation:	Prolonged skin exposure is not likely to result in absorption Not likely to cause injury to skin via contact in present form Not likely to be an eye hazard in present form Not likely to be ingested in present form Not likely to be inhaled in present form
	5. FIRE FIGHTING MEASURES

Flash point, °C: $> 390^{\circ}$ C



Material Safety Data Sheet

	NFPA: Health – 1, Flammability – 1, Instability – 0	
	HMIS: Health – 1, Flammability – 1, Instability – 0	
Hazardous Combustion Products:	Carbon Dioxide	
	6. ACCIDENTAL RELEASE MEASURES	
General Procedures:Contain and collect spill via sweep, vacuum, etc and discardDisposal:Recycle using symbol 5 or bury in landfill or burn in adequate incinerator in accordance with local state and federal regulations		
	7. HANDLING AND STORAGE	
Handling: Storage:	Minimize dust generation; use with adequate ventilation Keep dry; store at ambient temperatures	
8. Expos	SURE CONTROLS AND PERSONAL PROTECTION	
Engineering measures to reduce exposure:	 Occasionally during product cutting or drilling, course dust can be generated. Use ventilation to minimize exposure to airborne contaminates. 	
Personal Protective Equip	ment	
Respiratory:	Not needed; however, if excessive dust is generated while handling, wear appropriate respiratory protection to minimize exposure	
Skin:	Not needed; however, to minimize risks of mechanical injuries, wear protective gloves	
Eye:	During cutting or drilling - wear eye protection to minimize	
Work/Hygiene Practices:	mechanical injury Low hazard. Wash before eating, drinking and smoking.	
9. PHYSICAL AND CHEMICAL PROPERTIES		

Physical State:	Solid
Color:	Various
Odor:	None
Melting Point, °F:	>330°F
Melting Point, °C:	>165°C
Specific Gravity:	0.9-1.1 g/cc
Solubility:	Insoluble

10. STABILITY AND REACTIVITY

Chemical Stability: Conditions to avoid: Hazardous Decomposition Products: Hazardous Polymerization: Stable Avoid storing near high heats or flame None No



11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Local Effects:	None
Specific Effects:	None

12. ECOLOGICAL INFORMATION	
Environmental Data:	Not expected to be a hazard to environment in present form
Ecological Comments:	Prevent wildlife from ingesting by cleaning up spills
13. DISPOSAL CONSIDERATIONS	
Product Disposal:	Sweep up spills and place in suitable containers for either recycle or disposal – both in accordance with appropriate local, state, and federal regulations
	14. TRANSPORT INFORMATION
Shipping Name:Polypropylene Composite Siding PanelsHazard Class:Not regulatedUN/NA Identification:Not availableDOT:Not regulated for transportTDG:Not regulated for transportIMO/IMDG:Not regulated for transportICAO:Not regulated for transportADR/RID:Not regulated for transport	

15. REGULATORY INFORMATION

Individual Components:

MineralProprietaryPolypropyleneCAS# 9010-79-1CoatingProprietaryUV StabilizerProprietary

16. OTHER INFORMATION

THE INFORMATION CONTAINED HEREIN IS GIVEN IN GOOD FAITH, BUT NO WARRANTY, EXPRESSED OR IMPLIED, IS OFFERED.